Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2648	LOEFFLER.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:09
L2	40	LOEFFLER.IN. and turbocharger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:17
L3	13	"4653275"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:17
L4	2	("2860827").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 08:18
L5	2	"20020116926"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:19
L6	0	de-19955508-a\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:19
L7	2	de-19955508-c\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:42

						<del></del>
L9	423	415/158.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:10
L10	10	("2784675"   "2861774"   "3303998"   "4265589"   "4582466"   "4886416"   "5941684").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 09:01
L11	525	415/157.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:11
L12	942	((variable near3 geometry) near5 (nozzle or compressor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:43
L13	381	((variable near3 geometry) near5 (compressor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:12
L14	9	((variable near3 geometry) near5 (compressor)) and (guide near5 grid\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:12
L15	8	("5267829").URPN.	USPAT	OR	OFF	2007/01/22 09:14
L16	11	("2861774"   "3071347"   "3124931"   "3749513"   "4179247"   "4492520"   "4714407"   "5214920").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 09:15
L17	19	("2861774"   "3071347"   "3124931"   "3749513"   "4179247"   "4492520"   "4714407"   "5214920").PN. OR ("5267829").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 09:29
L18	0	415/159./ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 09:29

L19	574	415/159.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 09:29
L20	598	415/159.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:40
L24	. 88	"variable geometry compressor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:47
L25		((variable near geometry) near3 compressor) and guide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:49
L26	11	(60/600-605.1.ccls.) and ((variable near geometry) near3 compressor) and guide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	OFF	2007/01/22 09:50
L27	114	((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near5 (guide or grid\$1 or vane\$1 or blade\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:53
L28	10	((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near5 (guide or grid\$1 or vane\$1 or blade\$1)) and (upstream near5 wheel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:55

L29	2	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near5 (guide or grid\$1 or vane\$1 or blade\$1)) and (upstream near5 wheel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:57
L30	7	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near5 (guide or grid\$1 or vane\$1 or blade\$1)) and (upstream and wheel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:58
L31	13	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near5 (guide or grid\$1 or vane\$1 or blade\$1)) and wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:58
L32	13	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 compressor) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near10 (guide or grid\$1 or vane\$1 or blade\$1)) and wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:00
L33	52	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 (nozzle nezr3 compressor)) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near10 (guide or grid\$1 or vane\$1 or blade\$1)) and wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:01
L34	1	("415"/\$.ccls. or "417"/\$.ccls.) and ((variable near geometry) near3 (nozzle near3 compressor)) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near10 (guide or grid\$1 or vane\$1 or blade\$1)) and wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:02
L35	225	("415"/\$.ccls. or "417"/\$.ccls.) and (variable near3 (geometry or nozzle)) and ((adjust\$3 or adjustable or regulat\$3 or control\$4) near10 (guide or grid\$1 or vane\$1 or blade\$1)) and wheel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:02
L36	0	("7073334").URPN.	USPAT	OR	OFF	2007/01/22 10:06

L37	9	("3369737"   "3460748"   "3639075"   "4484857"   "6012897"   "6634174"   "6957535").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/22 10:15
L38		wo-20030823275-a\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:15
L39	1	wo-2003083275-a\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:15
L40	1	2003-805435.NRAN.	DERWENT	OR	OFF	2007/01/22 10:15
L41	2	"3460748".PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:17
L42	1	"4484857".PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:18
L43	1	"6634174".PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:18
L44	2	"3369737".PN.	USPAT; USOCR	OR	OFF	2007/01/22 10:18